MATERIAL SAFETY DATA SHEET

PRODUCT AND COMPANY IDENTIFICATION

Product Name: Anaerobic Threadlocker

Product No.: TL81

1

Manufacturer Name:

Parker Seal Emergency Telephone:

P.O. Box 11751 Domestic North America 800-424-9300 Lexington, KY 40512 International, Call 703-527-3887

859-269-2351

Intended Use: Anaerobic Sealant

2 HAZARDS IDENTIFICATION

Emergency Overview
Physical State: Liquid

Color: Green Odor: Mild

WARNING!

May cause allergic skin reaction. Causes skin, eye and respiratory tract irritation.

Combustible liquid.

Potential Health Effects

Inhalation: Causes respiratory tract irritation.

Eye Contact: Causes eye irritation. Exposed individuals may experience eye tearing, redness, and discomfort.

Skin Contact: Causes skin irritation. May cause allergic skin reaction.

Ingestion: May cause discomfort if swallowed.

Chronic Health Effects: May cause allergic skin reaction.

Target Organ(s): | Respiratory system | Eye | Lung | Skin |

Potential Physical / Chemical Effects:

OSHA Regulatory Status: This product is hazardous according to OSHA 29CFR 1910.1200.

Environment: The environmental hazard of the product is considered to be limited.

3 COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Concentration*
†Methacrylate Ester	41637-38-1	60 - 80%
†Carboxylic Acid Ester	868-77-9	15 - 30%
†Saccharin	81-07-2	1 - 3%

†Cumene hydroperoxide

80-15-9

1 - 3%

All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

† This chemical is hazardous according to OSHA/WHMIS criteria.

4 FIRST AID MEASURES

Inhalation: Move injured person into fresh air and keep person calm under observation. Get medical attention if discomfort persists.

Eye Contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

Skin Contact: Remove contaminated clothes and rinse skin thoroughly with water. If skin irritation or an allergic skin reaction develops, get medical attention.

Ingestion: Rinse mouth thoroughly. Get medical attention if symptoms occur.

5 FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish with foam, carbon dioxide or dry powder.

Unsuitable Extinguishing Media: Do not use water jet as an extinguisher, as this will spread the fire.

Special Fire Fighting Procedures: Self-contained breathing apparatus and full protective clothing should be worn when fighting chemical fires.

Unusual Fire & Explosion Hazards: None known.

Hazardous Combustion Products: Carbon Oxides, Nitrogen Oxides

Protective Measures: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

suitable protective clothing. See Section 8 of the MSDS for Personal Protective Equipment.

Spill Cleanup Methods: Flush area with water. Collect and dispose of spillage as indicated in section 13 of the MSDS.

Environmental Precautions: Avoid discharge into drains, water courses or onto the ground.

7 HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin, and clothing. Wear approved safety goggles. Wear suitable gloves. Use only in well-ventilated areas. Observe good industrial hygiene practices.

Storage: Store in a cool and well-ventilated place. Keep container closed when not in use. Store away from incompatible materials.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:

Chemical Name	Source	Type	Exposure Limits	Notes
Cumene hydroperoxide	US. AIHA WEEL	TWA	1 ppm 6 mg/m ³	Skin
Methacrylate ester	US. AIHA WEEL	TWA	1 mg/m ³	Skin

Consult Canadian Provincial Regulations and/or Mexican Regulations on exposure limits, if applicable.

Engineering Controls: Use explosion-proof ventilation equipment. Provide adequate ventilation. Observe good industrial hygiene practices.

Respiratory Protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.

Eye Protection: Wear approved safety goggles.

Hand Protection: Wear protective gloves. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended by the glove supplier.

Skin Protection: Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene Measures: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Environmental Exposure Controls: Environmental manager must be informed of all major spillages.

PHYSICAL AND CHEMICAL PROPERTIES

Color: Green Odor: Mild

9

Odor Threshold: No data available.

Physical State: Liquid
pH: Not applicable

Melting Point: No data available. Freezing Point: No data available. Boiling Point: >149°C (300°F) Flash Point: >90°C (194°F)

Evaporation Rate: No data available.

Flammability Limit - Upper (%): No data available. Flammability Limit - Lower (%): No data available.

Vapor Pressure: < 5 mmHg @26°C (79°F) Vapor Density (Air=1): 3 (Approximate) Specific Gravity: 1.1 @ 26°C (79°F)

Solubility in Water: Slight

Solubility (Other): Not applicable.

No data available.

Autoignition Temperature: No data available. Decomposition Temperature: No data available. Volatile Organic Compounds (VOC): 10 %w

Viscosity: Not applicable.

Stability: Stable under normal temperature conditions

Conditions to Avoid: Excessive heat.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products:

At Elevated Temperatures: Nitrogen Oxides, Toxic Fumes

Possibility of Hazardous Reactions: Will not occur.

11 TOXICOLOGICAL INFORMATION

Specified Substance(s)

Acute Toxicity:

Chemical Name	Test Results
Methacrylate Ester	Oral LD50 (Rat): 5050 mg/kg
Cumene hydroperoxide	Inhalation LC50 (4 hour(s), Rat): 220 ppm (m)
Cumene hydroperoxide	Oral LD50 (Rat): 800 mg/kg

Listed Carcinogens:

Chemical Name	IARC	NTP	OSHA	ACGIH
Saccharin	3	Not Listed	Not Listed	Not Listed

IARC: 1 = Carcinogenic to Humans; 2A = Probably Carcinogenic to Humans; 2B = Possibly Carcinogenic to Humans; 3 = Not classifiable as to carcinogenicity to humans; 4 = Probably not carcinogenic to humans; Not listed = Not evaluated by IARC.

ACGIH: A1 = Confirmed Human Carcinogen; A2 = Suspected Human Carcinogen; A3 = Confirmed Animal Carcinogen; A4 = Not classifiable as a human carcinogen; A5 = Not suspected to be a human carcinogen; Not listed = Not evaluated by ACGIH.

Product Information

Acute Toxicity: Test Results

Dermal LD50 (Rabbit): >2000 mg/kg

Other Acute: Causes skin, eye and respiratory tract irritation. May cause allergic skin reaction.

Chronic Toxicity: May cause allergic skin reaction.

12 ECOLOGICAL INFORMATION

Ecotoxicity: The environmental hazard of the product is considered to be limited.

Mobility: The product is insoluble or slightly soluble in water.

Persistence and Degradability: No data available.

Bioaccumulation Potential: No data available.

13 DISPOSAL CONSIDERATIONS

General Information: Dispose of waste and residues in accordance with local authority requirements.

Disposal Methods: Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

14 TRANSPORT INFOR	MATION				
DOT Not regulated.					
TDG Not regulated.					
IATA Not regulated.					
IMDG Not regulated.					
15 REGULATORY INFO	DRMATION				
Canadian Controlled Products Regula Canadian Controlled Products Regulation					
WHMIS Classification: B3, D2B					
Mexican Dangerous Statement: This	product is dange	erous according to M	exican regulations.		
Inventory Status					
This product or all components are list	ted or exempt f	from listing on the f	ollowing inventory: TSCA, DSL		
US Regulations					
CERCLA Hazardous Substance List (40 CFR 302.4):	:			
Chemical Name			RQ		
Cumene hydroperoxide			0 lbs		
Saccharin					
SARA Title III Section 302 Extremely Hazardous Sub Section 311/312 (40 CFR 370): X Acute (Immediate) X Chronic (Delated Section 313 Toxic Release Inventory (4)	ayed) X Fire	_	Pressure Generating		
	1		Reporting threshold		
Chemical Name	CAS-No.	Reporting thresholder other users	for manufacturing and processing		
Cumene hydroperoxide	80-15-9	10000 lbs	25000 lbs		
Saccharin	81-07-2	10000 lbs	25000 lbs		
		<u> </u>			

(4) or 1% for others.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Not regulated.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3): Not regulated.

<u>Drug Enforcement Act:</u> Not regulated.

TSCA

TSCA Section 4(a) Final Test Rules & Testing Consent Orders: Not regulated.

TSCA Section 5(a)(2) Final Significant New Use Rules (SNURs) (40CFR 721, Subpt. E): Not regulated.

TSCA Section 5(e) PMN-Substance Consent Orders: Not regulated.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D): Not regulated.

State Regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): Not regulated.

Massachusetts Right-To-Know List: Cumene hydroperoxide; Saccharin

Michigan Critical Materials List (Michigan Natural Resources and Environmental Protection Act (Act. 451 of 1994)): Not regulated.

Minnesota Hazardous Substances List: Methacrylate ester; Saccharin

New Jersey Right-To-Know List:

Pennsylvania Right-To-Know List: Cumene hydroperoxide; Sacchanin

Rhode Island Right-To-Know List: Cumene hydroperoxide

16 OTHER INFORMATION

HAZARD RATINGS

	Health Hazard	Fire Hazard	Instability	Special Hazard
NFPA	2	2	1	

Hazard rating: 0 - Minimal, 1 - Slight, 2 - Moderate, 3 - Serious, 4 - Severe

 $NFPA\ Label\ colored\ diamond\ code:\ Blue\ -\ Health;\ Red\ -\ Flammability;\ Yellow\ -\ Instability;\ White\ -\ Special\ Hazards$

	Health Hazard	Flammability	Physical Hazard	Personal Protection
HMIS	2*	2	1	С

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe *- Chronic Health Effect

Personal Protection codes: C - Safety Glasses, Gloves, Apron

HMIS Label colored bar code: Blue - Health; Red - Flammability; Orange - Physical Hazards;

Issue Date: 6-Mar-2008

Supersedes Date: 27-Feb-2008

SDS No.: TL81

Disclaimer: This information is provided without warranty. The information is believed to be correct. This information

should be used to make an independent determination of the methods to safeguard workers and the environment.